



COME IN FROM THE COLD

Vent-Free Gas Log Heaters



VANGUARD®

Vent-Free Gas Log Heaters

NOT JUST GAS LOGS - BUT GAS LOG HEATERS

Vanguard Vent-Free Gas Log Heaters offer you what ordinary gas logs and wood cannot...the warmth, cleanliness and economy of vent-free gas space heating combined with the beauty and convenience of gas logs.



The Beauty of a wood fire - with none of the work

Nothing compares to the warmth and the charm of an open fire in the fireplace. Through its engineering, Vanguard has created logs that beautifully duplicate real wood, a coal bed with a deep comforting glow, and a flame that dances and flickers like a wood fire. You won't be able to tell the difference.

The Convenience of Gas – Flames with a flick of the switch

While nothing compares to the charm of having a fire in the fireplace, there is little joy in the time and mess of making a regular wood fire and cleaning up the ashes afterwards. Select Vanguard Vent-Free Gas Log Heaters even have optional thermostatic remote controls for maximum comfort and convenience.

Efficiency of Vent-Free – Heat your home for less

Vanguard's unique, clean burning design provide 99% heating efficiency, allowing you to operate the logs vent-free with the fireplace damper closed. With no venting required, there is no heat loss up the chimney. Plus heating with Vanguard Gas logs means you'll never again be left in the cold with wet logs or without heat during a power outage.

Ordinary vented gas logs operate at approximately one third the efficiency and twice the costs, requiring the damper to be open, allowing beneficial heat to escape. When it comes to real comfort, efficiency and savings-Vanguard's Vent-Free Gas Log Heaters leave ordinary gas logs in the cold.

The Vanguard Difference

- **Technology leaders.** Vanguard has a history of technical and aesthetic innovation with vent-free gas logs – a history that we continue today.
- **Safety engineering.** We thoroughly test our products to all applicable standards for combustion efficiency and indoor air quality.
- **Full choice for you.** Vanguard offers vent-free gas log heaters in a full range of sizes – 18", 24" 30" and 36" – as well as models for two-sided see-through fireplaces.

SCARLET OAK VENT-FREE GAS LOG HEATERS

The Scarlet Oak is Vanguard's newest log line, and brings a remarkable new technology to the field of vent-free gas logs. To duplicate the look of a real wood fire, the Scarlet Oak includes a glowing, flickering coal bed at its base. This appearance of glowing coals is achieved through the use of Ceremat, which is a material visually and technically far superior to rock wool. (Rock wool is a lesser quality glow material, and looks like brown fiberglass insulation when it isn't lit.) Not only does the Scarlet Oak possess this unique technology for its glowing coals, it also boasts a triple burner for greater fire and light: two burners of bright yellow flame, plus the front burner for the glowing ember bed.



The Scarlet Oak features a glowing bed of coals – just like a wood fire.



Other unique features include:

- Seven logs hand-painted for utmost realism
- Handsome grate with less distracting metal
- Easily accessible on-off switch
- Three sizes:
 - 18" for a 32" firebox or fireplace
 - 24" for a 36" firebox or fireplace
 - 30" for a 42" firebox or fireplace
- Remote-ready. Hand-held remote controls or wall switches are available as accessories.
- Auto-Light push-button ignition

Scarlet Oak Logs					
LOG SIZE	MODEL NUMBER		COMFORT SETTING	BTU OUTPUT	SHIPPING WEIGHT
	Natural	Propane			
Remote Control "Ready" Models					
18"	VGC18NR	VGC18PR	Low to High	16,000 to 26,000	32.0 lbs.
24"	VGC24NR	VGC24PR	Low to High	20,000 to 33,000	34.0 lbs.
30"	VGC30NR	VGC30PR	Low to High	21,500 to 36,000	36.0 lbs.

Featuring The Vanguard "Auto-Light" Easy Ignition System

Vanguard brings to its gas log heaters the ultimate in convenient ignition. The "Auto-Light" Easy Ignition System is simply a battery-powered continuous spark system that lights the log's burner faster and easier. One push of the button is all it takes. (You see this feature on many higher-end gas barbecue grills nowadays.) The single AAA battery is easily accessed from the front left side of the log set. This breakthrough in convenience is found on Vanguard's Blaze N' Glow and Northern Red Oak Vent-Free Gas Log Heaters.

Vent-Free Gas Log Heaters

BLAZE N' GLOW OAK VENT-FREE GAS LOG HEATERS



Vanguard's Blaze N' Glow Vent-Free Gas Log Heater features a unique slanted burner system that offers the most glow and realistic yellow flames in the industry. The new multi-log design is available in 18", 24" and 30" models with variable manual, remote "ready" or thermostat controls. The Blaze N' Glow also comes standard with the "Auto-Light" Easy Ignition System.



Blaze N' Glow Logs feature a unique slanted burner system that offers that most glow and realistic yellow flames in the industry.

Blaze N' Glow Logs					
LOG SIZE	MODEL NUMBER		COMFORT SETTING	BTU OUTPUT	SHIPPING WEIGHT
	Natural	Propane			
Remote Control "Ready" Models					
18"	VUL18NR	VUL18PR	Low to High	19,000 to 30,000	28.0 lbs.
24"	VUL24NR	VUL24PR	Low to High	25,000 to 36,000	30.0 lbs.
30"	VUL30NR	VUL30PR	Low to High	25,000 to 36,000	32.0 lbs.
EmberStat® Thermostatically Controlled Models					
18"	VUL18NT	VUL18PT	Low to High	19,000 to 30,000	28.0 lbs.
24"	VUL24NT	VUL42PT	Low to High	25,000 to 36,000	30.0 lbs.
30"	VUL30NT	VUL30PT	Low to High	25,000 to 36,000	32.0 lbs.
Variable Manually Controlled Models					
18"	VUL18NV	VUL18PR	Low to High	19,000 to 30,000	28.0 lbs.
24"	VUL24NV	VUL24PV	Low to High	25,000 to 36,000	30.0 lbs.
30"	VUL30NV	VUL30NV	Low to High	25,000 to 36,000	32.0 lbs.



Remote Controls Must Be Purchased Separately*		
HRC100	On/Off Remote Control Kit with Wall Docking Station	1.0 lb.
HRC200	Thermostat Remote Control Kit with Wall Docking Station	1.0 lb.
GWMT1	Wall Mount Thermostat Control Kit	1.0 lb.
GWMS2	Wall Mount - On/Off Switch Kit	1.0 lb.


Remote Controls Add Convenience And Performance Features

Vanguard Gas Log Heaters can be operated from the convenience of your easy chair. One push of the button equals instant flame! Most Vanguard log models are available as "remote-ready". Our optional remotes come in a basic hand-held model, or a wall-mounted on/off version. For added performance, a thermostat model is also available in hand-held or wall-mount version. The thermostat model allows you to simply set the desired temperature.

GLOWING OAK VENT-FREE GAS LOG HEATERS

Vanguard's Glowing Oak Vent-Free Gas Log Heater features a state of the art glowing ember bed surrounded by an abundance of dancing yellow flames. The intricate detail of the log set will make you think you are sitting in front of a real wood fire. The decorative cast iron grate front is the final touch on the most realistic vent-free gas log set in the industry. A choice of heat settings of low or high allows up to a 75% reduction in heat output while maintaining the beauty of glowing coals on the lowest setting.

- Unique "triple" burner enables a 75% heat turn-down - while retaining a handsome glow
- Thermostatically controlled models let you set desired temperature setting for maximum comfort
- Remote control "ready" models enable you to use an optional remote control



Blaze N' Glow Logs feature a unique slanted burner system that offers that most glow and realistic yellow flames in the industry.



Glowing Oak Logs					
LOG SIZE	MODEL NUMBER		COMFORT SETTING	BTU OUTPUT	SHIPPING WEIGHT
	Natural	Propane			
Remote Control "Ready" Models					
24"	VRL24NR	VRL24PR	Low to High	10,000 to 39,000	30.0 lbs.
30"	VRL30NR	VRL30PR	Low to High	10,000 to 39,000	32.0 lbs.
EmberStat® Thermostatically Controlled Models					
24"	VRL24NT	VRL42PT	Low to High	10,000 to 39,000	30.0 lbs.
30"	VRL30NT	VRL30PT	Low to High	10,000 to 39,000	32.0 lbs.



LogMate™ Fireboxes: The Perfect Spot For Your Vanguard Gas Log Heater

Vanguard's Vent-Free LogMate Fireboxes allow you to enjoy the beauty of a fireplace along with the warmth and efficiency of a vent-free gas space heater. All standard LogMate Fireboxes are offered in two styles: The heat circulating models feature louvers and can be fitted with an optional blower; the smooth faced non-circulating models are ideal for custom trim applications such as stone or marble.

Vent-Free Gas Log Heaters

SPLIT OAK VENT-FREE GAS LOG HEATERS



Vanguard's Split Oak Vent-Free Gas Log Heater is available in a new 36" log set. All log sets are available in variable manually, thermostatically controlled and remote "ready" models. The multicolored ceramic fiber logs with ChaRealistic® char-glow design radiate warmth into your living area. The 99% heating efficient vent-free dual burn design puts the heat into the room, not up the chimney.

- Beautifully crafted glow logs
- 18", 24", 30" and 36" models
- Manual control, thermostatic or remote "ready"



Split Oak Logs feature multicolored logs with rich bark texture, realistic flames, glowing coals, natural looking charred areas plus a unique multi-log three-piece design.

Split Oak Logs					
LOG SIZE	MODEL NUMBER		COMFORT SETTING	BTU OUTPUT	SHIPPING WEIGHT
	Natural	Propane			
Variable Manually Controlled Models					
18"	NVS18NV	NVS18PV	Low to High	16,000 to 26,000	26.0 lbs.
24"	NVS24NV	NVS24NV	Low to High	20,000 to 33,000	28.0 lbs.
30"	NVS30NV	NVS30NV	Low to High	21,500 to 36,000	30.0 lbs.
36"	NVS36NV	NVS36NV	Low to High	21,500 to 36,000	32.0 lbs.
EmberStat® Thermostatically Controlled Models					
18"	NVS18NT	NVS18PT	Low to High	16,000 to 26,000	26.0 lbs.
24"	NVS24NT	NVS24PT	Low to High	20,000 to 33,000	28.0 lbs.
30"	NVS30NT	NVS30PT	Low to High	21,500 to 36,000	30.0 lbs.
36"	NVS36NT	NVS36PT	Low to High	21,500 to 36,000	32.0 lbs.
Remote Control "Ready" Models					
18"	NVS18NR	NVS18PR	Low to High	16,000 to 26,000	32.0 lbs.
24"	NVS24NR	NVS24PR	Low to High	20,000 to 33,000	34.0 lbs.
30"	NVS30NR	NVS30PR	Low to High	21,500 to 36,000	36.0 lbs.
36"	NVS36NR	NVS36PR	Low to High	21,500 to 36,000	38.0 lbs.



Accessories Add Style And Function

Remote Controls Must Be Purchased Separately*		
HRC100	On/Off Remote Control Kit with Wall Docking Station	1.0 lb.
HRC200	Thermostat Remote Control Kit with Wall Docking Station	1.0 lb.
GWMT1	Wall Mount Thermostat Control Kit	1.0 lb.
GWMS2	Wall Mount - On/Off Switch Kit	1.0 lb.
CF6-A	Fire Crackling Sound with On/Off Switch	4.0 lbs.

GOLDEN OAK VENT-FREE GAS LOG HEATERS

Vanguard’s Golden Oak Vent-Free Gas Log Heater offers the choice of four types of remote control accessories as well as the ability to operate the log heater with a variable manual control.



Golden Oak Vent-Free Gas Log Heaters

VINTAGE OAK VENT-FREE GAS LOG HEATERS

Vanguard’s Vintage Oak Vent-Free Gas Log Heater features an abundance of dancing yellow flames and your choice of two beautifully designed log styles that look like they just came off the woodpile.



Vintage Oak Vent-Free Gas Log Heaters

Golden Oak Logs					
LOG SIZE	MODEL NUMBER		COMFORT SETTING	BTU OUTPUT	SHIPPING WEIGHT
	Natural	Propane			
Remote Control "Ready" Models					
18"	VYS18N	VYS18P	Low to High	16,000 to 27,000	27.0 lbs.
24"	VYS24N	VYS24P	Low to High	16,000 to 31,500	29.0 lbs.

VINTAGE OAK VENT-FREE GAS LOG HEATERS

Vanguard’s Multi-Sided Vent-Free Gas Log Heater feature remote “ready” controls, abundant yellow flames from a dual burner, plus a beautifully styled multi-log five-piece design.



Multi-Sided Logs					
LOG SIZE	MODEL NUMBER		COMFORT SETTING	BTU OUTPUT	SHIPPING WEIGHT
	Natural	Propane			
Remote Control "Ready" Models					
27"	VYM27NR	VYM27PR	Low to High	20,000 to 39,000	40.0 lbs.

Vent-Free Gas Log Heaters

WHICH VANGUARD MODEL IS RIGHT FOR YOU?

Vanguard offers the broadest line of vent-free gas log heaters in the industry featuring a variety of styles and sizes plus your choice of three types of controls. Just follow the easy steps below to choose a great looking set of Vanguard gas logs.

1. Installation Considerations. Vanguard Vent-Free Gas Log Heaters install in any masonry or manufactured solid fuel-burning fireplace. They can also be installed in any CSA or UL certified vent-free universal firebox including the Vanguard LogMate™ Fireboxes. All Log Heaters with variable manual controls including remote ready are also listed to the ANSI Z21.60 Vented Log Decorative Standard which requires the GA6080 damper clamp accessory. All Vanguard Vent-Free Gas Log Heaters are offered in both propane and natural gas models. Gas connection for all models is 1/2" NPT. If a remote control wall switch or wall thermostat is installed, some wiring will be necessary.

2. Control Choices. Vanguard Gas Log Heaters are available in variable manually, thermostatically or remote controlled models. All offer easy, reliable and economical heating as well as a "matchless" piezo ignition system.

- **Variable Manually Controlled Models – Select the Heat Setting You Prefer.**
Vanguard's Log Heaters featuring a variable manual control allow you to select the heat setting and flame height you desire by simply turning a control knob. Enjoy flames and glowing coals from both burners (where applicable) – even on the lowest setting!
- **Ember-Stat® Thermostatically Controlled Models Provide Heat... Automatically.**
Ember-Stat logs are the only gas logs to offer a thermostat control that gradually modulates the heat output and flame height from high to lower settings, or pilot, in order to maintain a consistent room temperature. Even at the lowest setting you enjoy glowing coals and realistic flames from two burners.
- **Remote Controlled Models - Offer you heat at the push of a button.**
Just light Vanguard's Remote Control Ready Gas Log Heaters and operate with the manual variable controls or your choice of four remotes.
 - The Wall Mount Off/On Switch will enable you to turn your log set from pilot to on at the flip of a switch.
 - With a Wall Mount Thermostat Switch set the wall thermostat at the comfort level you desire and the log heater will automatically cycle from pilot to the heat setting selected.
 - The Hand Held On/Off Remote Control with Docking Station enables you to turn the log heater off or on using the hand held control. A child safety lock feature is included for additional safety assurance.



- The Hand Held Thermostat Remote Control with Docking Station allows you to view the time and room temperature or operate the log heater in a manually or automatically (thermostat) controlled mode plus you can turn it off or on without ever leaving the comfort of your easy chair! Note, the log heater will always operate at the heat setting (and flame height) selected unless it is manually changed. A child safety lock feature is included for additional safety assurance.

3. Style Choices. Vanguard Gas Log Heaters are available in a variety of styles. The ChaRealistic Char-glow and Real Burn designs feature realistic flames plus glowing coals from two burners. The Flame-Max design features generous dancing yellow flames and is available in multi-sided, dual and single burner models.

4. Size Choices. Vanguard Vent-Free Gas Log Heaters are available in 18", 24", 30" and 36" sizes. See chart below for proper log sizing for your fireplace.

MINIMUM FIREBOX SIZES			FRONT WIDTH		REAR WIDTH AT 13" DEPTH	
LOG SIZE	HEIGHT	DEPTH	CHAREALISTIC MODELS	ALL OTHER MODELS	CHAREALISTIC MODELS	ALL OTHER MODELS
18"	17"	14"	20"	24"	14"	20"
24"	17"	14"	26"	28"	18"	21"
30"	17"	14"	32"	34"	22"	24"
36"	17"	14"	38"	40"	26"	30"
27"*	17"	19"	N/A	32"	N/A	32"

5. Fireplace Hoods (If required).



A fireplace hood accessory may be required to deflect heat away from your mantel shelf. Fits fireplace openings from 28" to 48" wide. Installs easily with glass doors or to the lintel of the fireplace opening. Refer to owners manual for more details.
(Antique Brass not shown).

6. Decorative Ash Bed / Control Cover Accessory Kit (Optional).



This new accessory is not only functional but beautiful as well! The set includes five log pieces featuring realistic bark, split and charred areas plus a matching control cover. Simply move the cover when you need to use the control(s).

Safety Features Built Into Every Fireplace

Vanguard's Vent-Free Gas Log Heaters are designed certified by the American Gas Association and meet or exceed all regulations and safety performance standards for vent-free gas appliances. Additionally, this heater performs well within nationally recognized guidelines for indoor air quality.

The dual purpose safety pilot system protects against oxygen depletion and any interruption in the fuel supply. If either occurs, it shuts off the gas flow to the burner turning the heater off. An internal pressure regulator controls fluctuations in your gas pressure. These features ensure clean and reliable heat without the worry and inconvenience of vented gas logs or burning wood.

Vanguard Vent-Free Gas Products Meet or Exceed Nationally Recognized Standards/Guidelines for Indoor Air Quality.

IMPORTANT

Installation must be done by qualified service persons.

Read Owner's Manual before using.

Check local codes and ordinances for permitted uses.

Vent-free gas products are prohibited for bedroom and bathroom

installation in Massachusetts.

All products approved for manufactured (mobile) home installation.

We reserve the right to amend product specifications without notice.

Operating heater at very high elevations could cause nuisance outages.

Use with adequate air (ventilation) only. Humidifies while it heats. Provides water vapor in the area heated. Refer to owner's manual for specifics.

Product cannot be converted between fuel types.

The only warranty we offer is our standard warranty.

Please read the warranty for any limitations or disclaimers.

All parts have a limited four year warranty.

Stainless Steel burners carry a limited five year warranty.

All accessories have a one year warranty.

VANGUARD

DESA
HEATING PRODUCTS

www.VanguardHeat.com

Bowling Green, KY 42101 (866) 672-6040



Made in U.S.A.

